Portege M780 Detailed Product Specification[1]

Model Name: M780-S7231	Part Number: PPM78U-07702U	UPC: 883974632756

Operating System [C1] [2]

- Genuine Windows® 7 Professional 64-bit
- Genuine Windows® 7 Professional 32-bit

Processor[3] and Graphics[4]

- Intel® Core™ i5-560M Processor
  - 2.66 GHz (3.2 GHz with Turbo Boost Technology), 3MB Cache
- Mobile Intel® QM57 Express Chipset
- Intel® HD Graphics with 64MB-1240MB dynamically allocated shared graphics memory(64-bit OS)

Memory[5]

- Configured with 3GB DDR3 1066MHz (max 8GB)
- 2 main memory slots. Both slots occupied.

Storage Drive[6]

- 250GB (5400 RPM) Serial ATA hard disk drive

Ultra SlimBay Optical Disk Drive[7]

- DVD SuperMulti drive supporting 11 formats
  - Maximum speed and compatibility: CD-ROM (24x), CD-R (24x), CD-RW (16x), DVD-ROM (8x), DVD-R (Single Layer, (8x)), DVD-R (Double Layer, (4x)), DVD-RW (6x), DVD+R (Single Layer, (8x)), DVD+R (Double Layer, (4x)), DVD+RW (8x), DVD-RAM (5x)

Display[8]

- 12.1" diagonal widescreen LED backlight LCD display at 1280 x 800 native resolution(WXGA) supporting digital pen and digital touch

Sound

- Built-in stereo speakers

Input Devices

- Standard 85-key US keyboard (black)
- Digitizer Pen
- TouchPad™ pointing device
- TouchPad™ Enable/Disable
- Media Control Buttons:
  - Toshiba Assist button
  - Presentation Button
  - Windows Security button
  - Display Rotation button
  - Cross-Functional button
  - Power Button Lock

Communications

- Webcam and microphone
- Modem[9]
- 10/100/1000 Ethernet
- Centrino® Advanced-N 6200 (Intel® 802.11a/g/n[10])
- Bluetooth® version 2.1 plus Enhanced Data Rate (EDR)

Expandability

- ExpressCard™ slot
- Memory Card Reader
  - Secure Digital, Secure Digital High Capacity, Mini SD Card, Micro SD Card, Memory Stick™, Memory Stick PRO™, Multi Media Card, XD Card [shared slot]

Ports

- Video
  - RGB (monitor) output
- Audio
  - Microphone input port
  - Headphone output port
- Data
  - i.LINK™ IEEE-1394
  - 3 USB v2.0 ports
  - 2 x USB v2.0 ports
  - 1 x eSATA/USB combo port with USB Sleep and Charge[11]
  - RJ-45 LAN port
  - RJ-11 modem port
- Security
  - Trusted Platform Module (TPM v1.2)
  - Fingerprint reader
  - Reinforced Security Cable Lock Slot
- Supported on optional Toshiba Express Port Replicator II
  - USB v2.0 – 6 ports
  - Parallel port
  - Serial port
  - RGB port (Monitor out)
  - DVI-D
  - Audio in
  - Audio out
  - 10/100/1000 Ethernet port
  - AC adapter and security lock supported

Physical Description

- Titanium Silver
- Dimensions (W x D x H): 12.0" x 9.41" x 1.47"/1.55"
- Weight: Starting at 4.63 lbs., depending upon configuration[12]

Battery[13]

- 51 Wh (6-cell) Lithium Ion battery pack
- Dimensions (WxDxH): 4.98" x 2.74" x 0.80"
- Weight: starting at 0.71 lbs
- Battery Life Rating (measured by MobileMark™, Productivity 2007)[14]
  - Included 6-cell battery: 5 hours, 8 minutes

Power Supply

- 75W (15V x 5A) 100-240V AC Adapter
- Dimensions (WxDxH): 5" x 2.01" x 1.20"
- Weight: starting at 0.78 lbs

Toshiba EasyGuard® [15]

- Protect & Fix
  - Toshiba PC Health Monitor
  - TOSHIBA HDD protection (3D Accelerometer)
  - TOSHIBA Shock Protection System
  - HALT Tested Design
  - LCD Cover pressure Resistant Design
  - Hinge Design Enhancement
  - Spill Resistant Keyboard
  - TOSHIBA PC Diagnostic Tool
- Secure
  - Multiple-Level Password Utilities
  - Fingerprint Reader (includes software for password and identity management)
  - AuthenTec EntréPad® TrueSuite®
  - Infineon TPM Software Professional Package
  - Trusted Platform Module v1.2
  - TOSHIBA Secure Digital Token Utility
  - Reinforced Security Cable Lock Slot
  - Execute Disable Bit
- Connect
  - Diversity Antenna
  - TOSHIBA ConfigFree®
  - Voice-over-IP Ready Design
  - TOSHIBA Bluetooth® Stack
  - Wireless Communication On/Off Switch
- Optimize
  - Toshiba Disc Creator
  - TOSHIBA Device Access Control

© Copyright 2010 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

- TOSHIBA Power Management Extension
- TOSHIBA Password Utilities
- TOSHIBA Recovery Media Creator
- TOSHIBA eco Utility
- TOSHIBA Assist
- TOSHIBA USB Sleep and Charge
- TOSHIBA Zooming Utility
- FN Shortcut Keys

Software [C1] [16]

- Toshiba Software and Utilities
  - Bluetooth Stack for Windows by Toshiba
  - Electronic User's Guide
  - Hard Disc Drive (HDD) Recovery
  - TOSHIBA App Place[SM]
  - TOSHBIA Assist
  - TOSHIBA BookPlace™
  - TOSHIBA Bulletin Board™
  - TOSHIBA ConfigFree®
  - TOSHIBA Disc Creator
  - TOSHIBA DVD Player
  - TOSHIBA Face Recognition
  - TOSHIBA Laptop Checkup
  - TOSHIBA PC Health Monitor
  - TOSHIBA Power-saving eco utility™
  - TOSHIBA Recovery Media Creator
  - TOSHIBA ReelTime™
  - TOSHIBA Service Station
  - TOSHIBA Supervisor Password Utility
  - TOSHIBA Tablet PC Extension
  - TOSHIBA Value Added Package
  - TOSHIBA Web Camera Application
- Third-party Software
  - Microsoft® Office Starter 2010[17]
  - Microsoft® Windows Media Player 12
  - Microsoft Office OneNote® 2007
  - Microsoft® Silverlight™
  - Microsoft® Live Essentials
    - Photo Gallery
    - Messenger
    - Mail
    - Writer
    - Movie Maker
  - Internet Explorer 8
  - Adobe® Acrobat® Reader
  - Google® Toolbar
  - Google® Chrome
  - WildTangent® Games Console
- Special Offers and Trial Software
  - Intuit® Quickbooks® Financial Center
  - KidZui™, The Internet for Kids
  - NetZero® Internet Service
  - Norton Internet Security™ 2011 (30-day trial subscription)
  - Skype®
  - Toshiba Online Backup (30-day trial subscription)

Environmental Specifications

- This product is RoHS[18] compatible
- Energy Star 5.0 Qualified
- EPEAT™ Gold Compliant

	Operating	Non-operating
Temperature[19]	5° to 35° C	-20° to 65° C
Relative Humidity (non-condensing)	20% to 80%	10% to 90%
Thermal Gradient	15° C per hour (max)	20° C per hour (max)
Altitude (relative to sea level)	0 to 3,000 meters	0 to 10,000 meters
Shock	10G	60G
Vibration	0.5G	1.0G

3 YEAR STANDARD LIMITED WARRANTY[20]

- Includes International Limited Warranty for obtaining service when traveling outside the United States.

Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard®, On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.pcsupport.toshiba.com.

Accessories

For additional and most updated accessories, please visit **www.accessories.toshiba.com**

Power

Part Number	Description
PA3755U-1ACA	Toshiba 75W Global AC Adapter
PA3191U-5BRS	Toshiba Primary Li Ion Battery Pack (6 Cell)
PA3510U-1BRL	Toshiba Slice Expansion Li Ion Battery (6 Cell)

Expansion

Part Number	Description
PA3680U-1PRP	Toshiba Express Port Replicator II
PA3778U-2PRP	Toshiba dynadock V Universal Docking Station
PA3575U-1PRP	Toshiba dynadock U Universal Docking Station

Security & Protection

Part Number	Description
PA3610U-1ETC	Toshiba Keyboard Protector
PA1437U-1NCS	Toshiba Enhanced Protection Case for Portege M7xx
PA1331U-1NCS*	Toshiba 3 in 1 Tablet PC Leather Portfolio

* *Does not accommodate Slice Battery*

Storage

Part Number	Description
PA1434U-1ETC	Toshiba HDD Casing for Ultra Slim Bay HDD Adapter
PA3697U-1ETC	Toshiba Ultra Slim Bay II HDD Adapter
PA3877U-1M4B	Toshiba 4GB USB Hi-Speed Flash Drive
PA3877U-1M8B	Toshiba 8GB USB Hi-Speed Flash Drive
PA3877U-1MAB	Toshiba 16GB USB Hi-Speed Flash Drive
E05A050CAU2XK	Toshiba 500GB USB 2.0 Port Hard Drive, Raven Black
E05A075CAU2XL	Toshiba 750GB USB 2.0 Port Hard Drive, Liquid Blue
E05A100PBU2XY	Toshiba 1TB USB 2.0 Port Hard Drive, Satin Silver

Wireless/Bluetooth

Part Number	Description
PA3710U-1BTM	Toshiba Bluetooth V2.1+EDR USB Nano Adapter
PA3847U-1ETB	Toshiba Bluetooth Laser Mouse

Input Devices

Part Number	Description
PA3316U-3ETC	Toshiba Tablet PC Pen II
PA3317U-2ETC	Toshiba Tablet PC Reserve Pen
PA1438U-1ETC	Toshiba Tablet Pen Tether

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com

© Copyright 2010 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS")
9740 Irvine Boulevard
Irvine CA 92618

ToshibaDirect website: http://www.toshibadirect.com
TAIS website for resellers: http://sell.toshiba.com
TAIS PC Support website: http://pcsupport.toshiba.com

Satellite, ConfigFree and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

[C1] **64-bit computing:**
64-bit computing requires that the following hardware and software requirements are met:
- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

[1] **Product Series Legal Footnote**. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

[2] **Operating System**. Also see ***64-Bit Computing*** Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

[3] **Processor (Central Processing Unit)**. Also see ***64-Bit Computing*** Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

1. use of certain external peripheral products
2. use of battery power instead of AC power
3. use of certain multimedia, computer generated graphics or video applications
4. use of standard telephone lines or low speed network connections
5. use of complex modeling software, such as high end computer aided design applications
6. use of several applications or functionalities simultaneously
7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

[4] **Graphics (Graphics Processing Unit)**. GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

[5] **Memory (Main System)**. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

© Copyright 2010 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

[6] **Storage Drive (Internal HDD Capacity)**. One Gigabyte (GB) means 109 = 1,000,000,000 bytes and One Terabyte (TB) means 1012 = 1,000,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 230 = 1,073,741,824 bytes and 1TB = 240 = 1,099,511,627,776 bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

[7] **Optical Drive**. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

[8] **Display**. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

[9] **Modem Speed**. Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

[10] **Wireless-N.** The wireless adapter is based on a draft release version of the IEEE 802.11n specification, and may not be compatible with, or support all features (e.g., security) of, certain Wi-Fi® equipment.

[11] **USB Sleep & Charge.** The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

[12] **Weight**. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

[13] **Battery Life Rating**. Measured by MobileMark® 2007. MobileMark is a trademark of the Business Applications Performance Corporation. Rating based on either MobileMark Productivity 2007 modeling a user performing common mobile office activities or Reader 2007 modeling a user reading documents. See “Detailed Specifications” for test used. Details of MobileMark 2007 testing are available at www.bapco.com.Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system’s battery life under any conditions other than the specific test settings. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

[14] **Battery Life - MobileMark™**. Measured by MobileMark. MobileMark is a trademark of the Business Applications Performance Corporation.

[15] **EasyGuard**. Toshiba EasyGuard™ technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See www.easyguard.toshiba.com for detailed information.

[16] **Software**. Also see 64-Bit Computing Legal Footnote, if applicable.

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft’s privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Includes Microsoft® Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.

[17] **Microsoft Office Starter 2010.** Office Starter consists of reduced-functionality versions of Word and Excel with advertising. PowerPoint, Outlook, OneNote, Access and Publisher are not included.

[18] **RoHS.** This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

[19] **Temperature (Environmental) Conditions**. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

[20] **Warranty.** The terms and conditions of Toshiba’s standard limited warranty are available at www.warranty.toshiba.com.

© Copyright 2010 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.